





GROUP IV GROUPI Arya Bellis 67 69 9 Calypso Avena 71 Briza 11 Lilac 13 Malibu Velvet 73 Carlina 75 King 15 Nori 77 17 Poem Togo 79 Tweedy GROUP II Matrix 81 21 Touch 83 Atropa 23 Caleido EXCLUSIVE 25 Elyot 27 87 Montia Cordelia 89 Nancy 29 Country Lario 91 Science Mores 31 Sneak Linen L007 33 93 Tulip 95 35 Linen L616 Viola 37 Linen Q425 Laundered 97 99 Maple GROUP III Pine 101 Caleido Stampato 41 103 Specchio Classic Velvet 43 Willow 105 Divine 45 Aniline 107 47 Drom Heather 49 Iris 51 $|\nabla y|$ 53 Kiss 55 Malva 57 Moss 59 Paris 61 Stipa 63







Upholstery fabrics manu-factured from simple fibres, with no hair, of rough natural texture creating smooth, uniform layer. Made of cotton, linen, wool.

STANDARD polyester 100%

FLAME RETARDANT (FR) polyester 100%

| standard | version | flame retardant (FR) |
|---------------------|---|---|
| I | price group | II |
| 400 | weight (g/m²) | 400 |
| 48 000 | martindale abrasion resistance EN ISO 12947-2 | 48 000 |
| 4-5 | martindale pilling resistance EN ISO 12947-2 (afetr 2000 rubs) | 4-5 |
| 4 | colour fastness to light EN ISO 12947-2 | 4 |
| | care instruction | $\overline{w} \times \overline{\mathbb{Q}} \supseteq \overline{\mathbb{Q}}$ |
| durable washable | special features* | durable washable |





6 anthracite

There are possible shade defference between production series.

There are possible shade deficience between production

¹ light grey 2 light beige 3 blue-grey 4 grey

⁵ grey-black

^{*}Durable A fabric is developed using the most appropriate materials and processes in order to produce upholstery that remains in mint condition over time. Washable according to graphic instruction above.







Upholstery fabrics manu-factured from simple fibres, with no hair, of rough natural texture creating smooth, uniform layer. Made of cotton, linen, wool.

STANDARD

polyester 78%, viscose 22%

FLAME RETARDANT (FR) polyester 80%, ramie 20%

| standard | version | flame retardant (FR) |
|---------------------|---|----------------------|
| 1 | price group | I |
| 390 | weight (g/m²) | 500 |
| 40 000 | martindale abrasion resistance EN ISO 12947-2 | 40 000 |
| 4 | martindale pilling resistance EN ISO 12947-2 (afetr 2000 rubs) | 4 |
| 5 | colour fastness to light EN ISO 12947-2 | 5 |
| | care instruction | |
| durable washable | special features* | durable |



There are possible shade defference between production series.

^{*}Durable A fabric is developed using the most appropriate materials and processes in order to produce upholstery that remains in mint condition over time. Washable according to graphic instruction above.







Upholstery fabrics manu-factured from simple fibres, with no hair, of rough natural texture creating smooth, uniform layer. Made of cotton, linen, wool.

STANDARD

polyester 91%, cotton 9%



FLAME RETARDANT (FR) polyester 91%, cotton 9%

| standard | version | flame retardant (FR) |
|---|---|----------------------|
| 1 | price group | II |
| 352 | weight (g/m²) | 400 |
| 30 000 | martindale abrasion resistance EN ISO 12947-2 | 30 000 |
| 4 | martindale pilling resistance EN ISO 12947-2 (afetr 2000 rubs) | 4 |
| 5 | colour fastness to light EN ISO 12947-2 | 5 |
| $\overline{w} \times \overline{A} \supseteq \overline{P}$ | care instruction | |
| washable | special features* | - |

There are possible shade defference between production series.

¹ nature 2 grey-beige 3 grey 4 steel

5 mustard 6 brown 7 anthracite

^{*}Durable A fabric is developed using the most appropriate materials and processes in order to produce upholstery that remains in mint condition over time. Washable according to graphic instruction above.







Upholstery fabrics manu-factured from simple fibres, with no hair, of rough natural texture creating smooth, uniform layer. Made of cotton, linen, wool.

STANDARD polyester 100%

FLAME RETARDANT (FR) polyester 100%

| standard | version | flame retardant (FR) |
|--|---|----------------------------|
| ı | price group | I |
| 370 | weight (g/m²) | 500 |
| 60 000 | martindale abrasion resistance EN ISO 12947-2 | >50 000 |
| 4-5 | martindale pilling resistance EN ISO 12947-2 (afetr 2000 rubs) | 4 |
| 4-5 | colour fastness to light EN ISO 12947-2 | 4 |
| | care instruction | |
| durable washable water repellent | special features* | durable water repellent |



^{*}Durable A fabric is developed using the most appropriate materials and processes in order to produce upholstery that remains in mint condition over time. Washable according to graphic instruction above.

Water repellent fabric covered with a special protective coating, forming a water repellent layer which prevents rapid fluid seepage.







Technically advanced upholstery fabrics made of chenille fibres consisting of two simple twisted together threads between which cut fibres are placed. Owing to that a fabric has the structure similar to that of velour or plush.

A feature that is typical for chenille is irregularity of upper structure, tiny irregular clearances and downiness.

STANDARD polyester 100%

CONFIDENCE IN TEXTILES
Tested for homolia substances according to Original substances according to Original Substances according to Original Substances (Substances) (Substanc

FLAME RETARDANT (FR) polyester 100%

| standard | version | flame retardant (FR) |
|---------------------|---|----------------------|
| I | price group | II |
| 358 | weight (g/m²) | 450 |
| 50 000 | martindale abrasion resistance EN ISO 12947-2 | 50 000 |
| 4-5 | martindale pilling resistance EN ISO 12947-2 (afetr 2000 rubs) | 4-5 |
| 5 | colour fastness to light EN ISO 12947-2 | 5 |
| | care instruction | |
| durable washable | special features* | durable |



There are possible shade defference between production series.

14 There are possible shade delierence between production series.

^{*}Durable A fabric is developed using the most appropriate materials and processes in order to produce upholstery that remains in mint condition over time. Washable according to graphic instruction above.







Upholstery fabrics manu-factured from simple fibres, with no hair, of rough natural texture creating smooth, uniform layer. Made of cotton, linen, wool.

STANDARD

polyester 54%, polypropylene 46%



FLAME RETARDANT (FR)

polyester 54%, polypropylene 46%



| standard | version | flame retardant (FR) |
|---------------------|---|----------------------|
| ı | price group | II |
| 290 | weight (g/m²) | 370 |
| 50 000 | martindale abrasion resistance EN ISO 12947-2 | 50 000 |
| 4-5 | martindale pilling resistance EN ISO 12947-2 (afetr 2000 rubs) | 4-5 |
| 6 | colour fastness to light EN ISO 12947-2 | 6 |
| | care instruction | |
| durable washable | special features* | durable |



There are possible shade defference between production series.

^{*}Durable A fabric is developed using the most appropriate materials and processes in order to produce upholstery that remains in mint condition over time. Washable according to graphic instruction above.









Technically advanced upholstery fabrics made of chenille fibres consisting of two simple twisted together threads between which cut fibres are placed. Owing to that a fabric has the structure similar to that of velour or plush.

A feature that is typical for chenille is irregularity of upper structure, tiny irregular clearances and downiness.

STANDARD

acrylic 48%, polyester 41%, cotton 11%

FLAME RETARDANT (FR) acrylic 48%, polyester 41%, cotton 11%

| standard | version | flame retardant (FR) |
|---|---|----------------------|
| II | price group | Ш |
| 414 | weight (g/m²) | 512 |
| 25 000 | martindale abrasion resistance EN ISO 12947-2 | 25 000 |
| 3-4 | martindale pilling resistance EN ISO 12947-2 (afetr 2000 rubs) | 3-4 |
| 5 | colour fastness to light EN ISO 12947-2 | 5 |
| $\overline{w} \times \overline{\boxtimes} \rightarrow \mathbb{P}$ | care instruction | @RXX |
| washable | special features* | - |



There are possible shade defference between production series.

^{*} Washable according to graphic instruction above.



1420 white 1419 natur 3790 light beige 10996 grey beige 2994 light brown 3899 beige 3693 dark brown 2990 powder pink 1497 light grey 10997 grey 2934 dark grey 11896 sand yellow 12025 yellow 12032 light coral 3644 coral

11980 jeans blue

9881 grey-green

22

11900 emerald

green

CAL FID C



smooth natural

Upholstery fabrics manu-factured from simple fibres, with no hair, of rough natural texture creating smooth, uniform layer. Made of cotton, linen, wool.

COMPOSITION cotton 63%, linen 37%



| standard | version | flame retardant (FR) |
|---------------------|---|--|
| II | price group | II |
| 380 | weight (g/m²) | |
| 32 500 | martindale abrasion resistance EN ISO 12947-2 | |
| 4 | martindale pilling resistance EN ISO 12947-2 (afetr 2000 rubs) | |
| 4-5 | colour fastness to light EN ISO 12947-2 | |
| | care instruction | |
| washable natural | special features* | Meets the 1988 safety regulations by inclusion of a fire resistant interliner. |

There are possible shade defference between production series.

1988 indigo blue

^{*} Washable according to graphic instruction above.

Natural more than 80% of natural fibres









Technically advanced upholstery fabrics made of chenille fibres consisting of two simple twisted together threads between which cut fibres are placed. Owing to that a fabric has the structure similar to that of velour or plush.

A feature that is typical for chenille is irregularity of upper structure, tiny irregular clearances and downiness.

STANDARD

acrylic 52%, polyester 41%, viscose 7%

CONFIDENCE IN TEXTILES
Tested for harmful substances eccreting to Onio-Tea⁻¹ Standard 193 000000000 Institute

FLAME RETARDANT (FR)

acrylic 52%, polyester 41%, viscose 7%

| standard | version | flame retardant (FR) |
|---------------------|---|----------------------|
| II | price group | III |
| 384 | weight (g/m²) | 540 |
| 90 000 | martindale abrasion resistance EN ISO 12947-2 | 90 000 |
| 4-5 | martindale pilling resistance EN ISO 12947-2 (afetr 2000 rubs) | 4-5 |
| 5 | colour fastness to light EN ISO 12947-2 | 5 |
| | care instruction | |
| durable washable | special features* | durable |

There are possible shade defference between production series.

There are possible shade definition between production

^{*}Durable A fabric is developed using the most appropriate materials and processes in order to produce upholstery that remains in mint condition over time. Washable according to graphic instruction above.







jacquards

Fabrics with woven patterns manufactured on a special machine that allows to control many threads separately, which means diversified multicoloured patterns on a large surface can be created.

STANDARD olefin 100%



FLAME RETARDANT (FR) olefin 100%

| standard | version | flame retardant (FR) |
|--|---|-------------------------|
| II | price group | III |
| 426 | weight (g/m²) | 481 |
| 45 000 | martindale abrasion resistance EN ISO 12947-2 | 45 000 |
| ≥4 | martindale pilling resistance EN ISO 12947-2 (afetr 2000 rubs) | ≥4 |
| ≥5 | colour fastness to light EN ISO 12947-2 | ≥5 |
| | care instruction | |
| durable easy to clean eco friendly washable | special features* | durable eco friendly |



There are possible shade defference between production series.

26 There are possible shade deficience between production

^{*}Durable A fabric is developed using the most appropriate materials and processes in order to produce upholstery that remains in mint condition over time. Easy to clean Easy stain removal by rubbing with damp cloth and neutral soapy water.

Eco friendly Part of the material is biodegradable, recyclable and provides antibacterial, antistatic and antiallergenic properties.

The waste created during weaving process is recycled, energy and water consumption is minimised and no toxic products are used. **Washable** according to graphic instruction above.







jacquards

Fabrics with woven patterns manufactured on a special machine that allows to control many threads separately, which means diversified multicoloured patterns on a large surface can be created.

STANDARD

acrylic 46%, polyester 44%, cotton 10%




FLAME RETARDANT (FR)

acrylic 46%, polyester 44%, cotton 10%



| standard | version | flame retardant (FR) |
|---------------------|---|----------------------|
| II | price group | II |
| 493 | weight (g/m²) | 600 |
| 40 000 | martindale abrasion resistance EN ISO 12947-2 | 40 000 |
| 5 | martindale pilling resistance EN ISO 12947-2 (afetr 2000 rubs) | 5 |
| ≥5 | colour fastness to light EN ISO 12947-2 | ≥5 |
| \otimes | care instruction | |
| durable washable | special features* | durable |



7 anthracite

6 dark grey

There are possible shade defference between production series.

28

5 light grey

^{*}Durable A fabric is developed using the most appropriate materials and processes in order to produce upholstery that remains in mint condition over time. Washable according to graphic instruction above.







Technically advanced upholstery fabrics made of chenille fibres consisting of two simple twisted together threads between which cut fibres are placed. Owing to that a fabric has the structure similar to that of velour or plush.

A feature that is typical for chenille is irregularity of upper structure, tiny irregular clearances and downiness.

STANDARD polyester 90%, cotton 10%



FLAME RETARDANT (FR) polyester 90%, cotton 10%



| standard | version | flame retardant (FR) |
|---|---|----------------------|
| II | price group | Ш |
| 406 | weight (g/m²) | 455 |
| 33 000 | martindale abrasion resistance EN ISO 12947-2 | 33 000 |
| 4-5 | martindale pilling resistance EN ISO 12947-2 (afetr 2000 rubs) | 4-5 |
| 5 | colour fastness to light EN ISO 12947-2 | 5 |
| $\underline{\underline{w}}$ | care instruction | |
| easy to clean eco friendly washable | special features* | - |



There are possible shade defference between production series.

^{*}Easy to clean Easy stain removal by rubbing with damp cloth and neutral soapy water.

Eco friendly Part of the material is biodegradable, recyclable and provides antibacterial, antistatic and antiallergenic properties.

The waste created during weaving process is recycled, energy and water consumption is minimised and no toxic products are used.

Washable according to graphic instruction above.







Technically advanced upholstery fabrics made of chenille fibres consisting of two simple twisted together threads between which cut fibres are placed. Owing to that a fabric has the structure similar to that of velour or plush.

A feature that is typical for chenille is irregularity of upper structure, tiny irregular clearances and downiness.

STANDARD polyester 100%

FLAME RETARDANT (FR) polyester 100%

| standard | version | flame retardant (FR) |
|---|---|--|
| II | price group | III |
| 370 | weight (g/m²) | 370 |
| 38 000 | martindale abrasion resistance EN ISO 12947-2 | 38 000 |
| 4-5 | martindale pilling resistance EN ISO 12947-2 (afetr 2000 rubs) | 4-5 |
| 4-5 | colour fastness to light EN ISO 12947-2 | 4-5 |
| $\mathbb{G}_{\mathbf{K}} \boxtimes \mathbb{A}_{\mathbb{G}}$ | care instruction | $\mathbb{Q}_{\text{N}} \times \mathbb{Q}_{\text{N}}$ |
| durable washable | special features* | durable washable |



There are possible shade defference between production series.

^{*}Durable A fabric is developed using the most appropriate materials and processes in order to produce upholstery that remains in mint condition over time. Washable according to graphic instruction above.







Technically advanced upholstery fabrics made of chenille fibres consisting of two simple twisted together threads between which cut fibres are placed. Owing to that a fabric has the structure similar to that of velour or plush.

A feature that is typical for chenille is irregularity of upper structure, tiny irregular clearances and downiness.

STANDARD polyester 100%



FLAME RETARDANT (FR) polyester 100%



| standard | version | flame retardant (FR) |
|----------|---|----------------------|
| II | price group | II |
| 370 | weight (g/m²) | 380 |
| 30 000 | martindale abrasion resistance EN ISO 12947-2 | 30 000 |
| 4-5 | martindale pilling resistance EN ISO 12947-2 (afetr 2000 rubs) | 4-5 |
| 5 | colour fastness to light EN ISO 12947-2 | 5 |
| | care instruction | |
| washable | special features* | - |

There are possible shade defference between production series.

34

¹ nature 2 beige 3 yellow 4 copper brown 5 vintage red

6 green 7 blue 8 light grey 9 grey 10 black

^{*}Washable according to graphic instruction above.







11 dark grey

$\bigvee | \bigcirc \bot \triangle$



jacquards

Fabrics with woven patterns manufactured on a special machine that allows to control many threads separately, which means diversified multicoloured patterns on a large surface can be created.

STANDARD

polyester 39%, polypropylene 35%, acrylic 26%



FLAME RETARDANT (FR)

polyester 39%, polypropylene 35%, acrylic 26%



| standard | version | flame retardant (FR) |
|---------------------|---|----------------------|
| II | price group | II |
| 425 | weight (g/m²) | 540 |
| 40 000 | martindale abrasion resistance EN ISO 12947-2 | 45 000 |
| 4-5 | martindale pilling resistance EN ISO 12947-2 (afetr 2000 rubs) | 4 |
| 5 | colour fastness to light EN ISO 12947-2 | 5 |
| | care instruction | |
| durable washable | special features* | durable |

There are possible shade defference between production series.

^{*}Durable A fabric is developed using the most appropriate materials and processes in order to produce upholstery that remains in mint condition over time. Washable according to graphic instruction above.







CALEIDO STAMPATO



flat woven

Upholstery fabrics manu-factured from simple fibres, with no hair, of rough natural texture creating smooth, uniform layer. Made of cotton, linen, wool.

COMPOSITION cotton 63%, linen 37%



| standard | version | flame retardant (FR) |
|---------------------|---|--|
| III | price group | III |
| 380 | weight (g/m²) | |
| 32 500 | martindale abrasion resistance EN ISO 12947-2 | |
| 4 | martindale pilling resistance EN ISO 12947-2 (afetr 2000 rubs) | |
| 4-5 | colour fastness to light EN ISO 12947-2 | |
| | care instruction | |
| natural washable | special features* | Meets the 1988 safety regulations by inclusion of a fire resistant interliner. |

There are possible shade defference between production series.

^{*}Natural more than 80% of natural fibres.

Washable according to graphic instruction above.





42

CLASSIC VELVET SIES



velours

Elegant upholstery fabrics most frequently produced in the course of manufacturing two-layer-knitted fabric, interwining the layers with fibres creating a tick mesh and then cutting up both layers. This way each layer has a thick fleece. Velours are characterized with very high strengthand at the same time have very nice touch.

STANDARD polyester 100%



FLAME RETARDANT (FR) polyester 100%

| | _ | _ | -0- |
|-------|-----------|----------|--------------|
| | _ | | anthro |
| - | _ | | OF 11140 |
| | | | CEO SERVO |
| • | INITE | XTILE | - 000 |
| • | | | |
| | d for he | | substances |
| 00004 | ding to O | ako Terr | Stendard 100 |
| | | | |

43

| standard | version | flame retardant (FR) |
|--|---|----------------------|
| III | price group | III |
| 483 | weight (g/m²) | 590 |
| 47 000 | martindale abrasion resistance EN ISO 12947-2 | 47 000 |
| 4-5 | martindale pilling resistance EN ISO 12947-2 (afetr 2000 rubs) | 4-5 |
| 5 | colour fastness to light EN ISO 12947-2 | 5 |
| $\underline{\mathscr{O}} \wedge \underline{\mathscr{C}} \otimes \underline{\mathscr{C}} \otimes \underline{\mathscr{C}}$ | care instruction | |
| durable washable | special features* | durable |

There are possible shade defference between production series.

^{*}Durable A fabric is developed using the most appropriate materials and processes in order to produce upholstery that remains in mint condition over time. Washable according to graphic instruction above.



99 white 50 light grey 05 beige 70 grey 55 black 45 dark blue 40 light blue 36 mustard 69 dark pink 61 pink



chenille

Technically advanced upholstery fabrics made of chenille fibres consisting of two simple twisted together threads between which cut fibres are placed. Owing to that a fabric has the structure similar to that of velour or plush.

A feature that is typical for chenille is irregularity of upper structure, tiny irregular clearances and downiness.

STANDARD

polypropylene 49%, polyester 47%, cotton 4%



FLAME RETARDANT (FR)

polypropylene 46%, polyester 41%, modacrylic 7%, cotton 6%



| standard | version | flame retardant (FR) |
|--|---|--|
| III | price group | III |
| 504 | weight (g/m²) | 540 |
| 60 000 | martindale abrasion resistance EN ISO 12947-2 | 56 000 |
| 4-5 | martindale pilling resistance EN ISO 12947-2 (afetr 2000 rubs) | 5 |
| 5-6 | colour fastness to light EN ISO 12947-2 | 5-6 |
| | care instruction | |
| durable easy to clean eco friendly washable | special features* | durable easy to clean eco friendly washable |

There are possible shade defference between production series.

^{*}Durable A fabric is developed using the most appropriate materials and processes in order to produce upholstery that remains in mint condition over time. Easy to clean Easy stain removal by rubbing with damp cloth and neutral soapy water.

Eco friendly Part of the material is biodegradable, recyclable and provides antibacterial, antistatic and antiallergenic properties.

The waste created during weaving process is recycled, energy and water consumption is minimised and no toxic products are used. **Washable** according to graphic instruction above.







Technically advanced upholstery fabrics made of chenille fibres consisting of two simple twisted together threads between which cut fibres are placed. Owing to that a fabric has the structure similar to that of velour or plush.

A feature that is typical for chenille is irregularity of upper structure, tiny irregular clearances and downiness.

STANDARD

polyester 75%, polypropylene 25%



FLAME RETARDANT (FR)

polyester 75%, polypropylene 25%



| standard | version | flame retardant (FR) |
|--|---|-------------------------|
| III | price group | IV |
| 432 | weight (g/m²) | 475 |
| 61 000 | martindale abrasion resistance EN ISO 12947-2 | 61 000 |
| 4-5 | martindale pilling resistance EN ISO 12947-2 (afetr 2000 rubs) | 4-5 |
| 5-6 | colour fastness to light EN ISO 12947-2 | 5-6 |
| | care instruction | |
| durable easy to clean eco friendly washable | special features* | durable eco friendly |

46

There are possible shade defference between production series.

O1 creme O2 beige 11 light brown 12 brown

63 violet 40 turquoise 54 grey 55 black

^{*}Durable A fabric is developed using the most appropriate materials and processes in order to produce upholstery that remains in mint condition over time. Easy to clean Easy stain removal by rubbing with damp cloth and neutral soapy water.

Eco friendly Part of the material is biodegradable, recyclable and provides antibacterial, antistatic and antiallergenic properties.

The waste created during weaving process is recycled, energy and water consumption is minimised and no toxic products are used. **Washable** according to graphic instruction above.



HEATHER



flat woven

Upholstery fabrics manu-factured from simple fibres, with no hair, of rough natural texture creating smooth, uniform layer.

STANDARD

modacrylic 68%, polyester 29%, viscose 3%



FLAME RETARDANT (FR)

modacrylic 68%, polyester 29%, viscose 3%



| standard | version | flame retardant (FR) |
|---------------------|---|----------------------|
| III | price group | IV |
| 577 | weight (g/m²) | 650 |
| 50 000 | martindale abrasion resistance EN ISO 12947-2 | 50 000 |
| 4-5 | martindale pilling resistance EN ISO 12947-2 (afetr 2000 rubs) | 4-5 |
| 5 | colour fastness to light EN ISO 12947-2 | 5 |
| | care instruction | |
| durable washable | special features* | durable |



There are possible shade defference between production series.

^{*}Durable A fabric is developed using the most appropriate materials and processes in order to produce upholstery that remains in mint condition over time. Washable according to graphic instruction above.







jacquards

Fabrics with woven patterns manufactured on a special machine that allows to control many threads separately, which means diversified multicoloured patterns on a large surface can be created.

STANDARD

acrylic 65%, polyester 20%, viscose 11%, linen 4%



FLAME RETARDANT (FR)

acrylic 65%, polyester 20%, viscose 11%, linen 4%



| standard | version | flame retardant (FR) |
|---------------------|---|----------------------|
| III | price group | IV |
| 700 | weight (g/m²) | 850 |
| 95 000 | martindale abrasion resistance EN ISO 12947-2 | 50 000 |
| 4 | martindale pilling resistance EN ISO 12947-2 (afetr 2000 rubs) | 4 |
| 5 | colour fastness to light EN ISO 12947-2 | 5 |
| | care instruction | |
| durable washable | special features* | durable |



There are possible shade defference between production series.

^{*}Durable A fabric is developed using the most appropriate materials and processes in order to produce upholstery that remains in mint condition over time. Washable according to graphic instruction above.







Technically advanced upholstery fabrics made of chenille fibres consisting of two simple twisted together threads between which cut fibres are placed. Owing of that a fabric has the structure similar to that of velour or plush. A feature that is typical for chenille is irregularity of upper structure, Tiny irregular clearances and downiness.

STANDARD rolefin 93%, polyester 7%



FLAME RETARDANT (FR) rolefin 93%, poliester 7%



| standard | version | flame retardant (FR) |
|--------------------------|---|----------------------|
| III | price group | III |
| 420 | weight (g/m²) | 550 |
| 30 000 | martindale abrasion resistance EN ISO 12947-2 | 30 000 |
| 4-5 | martindale pilling resistance EN ISO 12947-2 (afetr 2000 rubs) | 4-5 |
| 5 | colour fastness to light EN ISO 12947-2 | 5 |
| | care instruction | |
| eco friendly washable | special features* | eco friendly |

Every sofa can save 250 liters of water with Rolefin.

Rolefin is a textile-recycled olefin yarn developed to produce furniture fabrics a Zero Water Consumption during the production process. The yarn/fabric is converted from pre-consumer textile wastes consisting of by-product materials from fiber, yarn and fabrics.

ROLEFIN has all the FOLLOWING features:


- · Zero Water Consumption During Production Processes
- · Made of Textile Wastes- Recycled
- · Recyclable (up to 7 times)
- · Contains No Harmful Chemicals
- · Energy Efficient
- · Low CO Footprint 2
- · Certified by Recycled Claim Standard 2.0



^{*}Eco friendly Part of the materia lis biodegradable, recyclable and provides antibacterial, antistatic and antiallergenic propeties.

The waste creasted during weaving process is recycled, energy and water consumption is minimised and no toxic products are used.

Washable according to graphic instruction above.



There are possible shade defference between production series.

There are possible shade delication between production







Upholstery fabrics manu-factured from simple fibres, with no hair, of rough natural texture creating smooth, uniform layer. Made of cotton, linen, wool.

COMPOSITION cotton 60%, linen 40%

| standard | version | flame retardant (FR) |
|--------------------------------|---|--|
| III | price group | Ш |
| 380 | weight (g/m²) | |
| 24 000 | martindale abrasion resistance EN ISO 12947-2 | |
| 4-5 | martindale pilling resistance EN ISO 12947-2 (afetr 2000 rubs) | |
| 5 | colour fastness to light EN ISO 12947-2 | |
| ™X\ZP | care instruction | |
| natural washable vintage | special features* | Meets the 1988 safety regulations by inclusion of a fire resistant interliner. |

There are possible shade defference between production series.

^{*}Natural more than 80% of natural fibres.

Washable according to graphic instruction above.

Vintage This product is produced by a special proces which gives a washed look. The fabric is natural and each piece can be different.

⁴ light grey 1 natural 2 ecru 3 stone 6 graphite 7 blue 5 grey







56





57

other smooth

Upholstery fabrics manufactured from simple fibres, with no hair, of rough natural texture creating smooth, uniform layer. Made of polyester, viscose, acryl, polyamide, acetate or a mixture of these fibres with natural ones.

STANDARD

wool 70%, polyester 20%, acyl 5%, polyamide 5%

FLAME RETARDANT (FR)

wool 70%, polyester 20%, acyl 5%, polyamide 5%

| standard | version | flame retardant (FR) |
|----------|---|----------------------|
| III | price group | III |
| 328 | weight (g/m²) | 328 |
| 100 000 | martindale abrasion resistance EN ISO 12947-2 | 100 000 |
| 5 | martindale pilling resistance EN ISO 12947-2 (afetr 2000 rubs) | 5 |
| 4-5 | colour fastness to light EN ISO 12947-2 | 4-5 |
| | care instruction | |
| durable | special features* | durable |

There are possible shade defference between production series.

^{*}Durable A fabric is developed using the most appropriate materials and processes in order to produce upholstery that remains in mint condition over time.




3 orange

9 light brown

4 dark brown

10 light grey



1 mustard



6 nature



13 blue

58



14 dark blue

7 cold beige



chenille

Technically advanced upholstery fabrics made of chenille fibres consisting of two simple twisted together threads between which cut fibres are placed. Owing to that a fabric has the structure similar to that of velour or plush. A feature that is typical for chenille is irregularity of upper structure, tiny irregular clearances and downiness.

STANDARD

polyester 48%, acrylic 35%, wool 9%, viscose 8%



FLAME RETARDANT (FR)

polyester 47%, acrylic 36%, wool 9%, viscose 8%



| standard | version | flame retardant (FR) |
|---------------------|---|----------------------|
| III | price group | IV |
| 476 | weight (g/m²) | 550 |
| 25 000 | martindale abrasion resistance EN ISO 12947-2 | 25 000 |
| 4-5 | martindale pilling resistance EN ISO 12947-2 (afetr 2000 rubs) | 4-5 |
| 5 | colour fastness to light EN ISO 12947-2 | 5 |
| \emptyset 8 2 0 | care instruction | |
| washable | special features* | - |

*Washable according to graphic instruction above.

There are possible shade defference between production series.

5 dark grey

12 anthracite







Technically advanced upholstery fabrics made of chenille fibres consisting of two simple twisted together threads between which cut fibres are placed. Owing of that a fabric has the structure similar to that of velour or plush. A feature that is typical for chenille is irregularity of upper structure, Tiny irregular clearances and downiness.

STANDARD

acrylic 55%, poliester 39%, cotton 6%

FLAME RETARDANT (FR)

acrylic 55%, poliester 39%, cotton 6%


| standard | version | flame retardant (FR) |
|----------|---|----------------------|
| III | price group | III |
| 487 | weight (g/m²) | 530 |
| 30 000 | martindale abrasion resistance EN ISO 12947-2 | 30 000 |
| 3-4 | martindale pilling resistance EN ISO 12947-2 (afetr 2000 rubs) | 3-4 |
| 5 | colour fastness to light EN ISO 12947-2 | 5 |
| | care instruction | |
| washable | special features* | - |

















5 turquoise 6 green

7 light grey

8 dark grey

4 orange

*Washable according to graphic instruction above.







Technically advanced upholstery fabrics made of chenille fibres consisting of two simple twisted together threads between which cut fibres are placed. Owing to that a fabric has the structure similar to that of velour or plush.

A feature that is typical for chenille is irregularity of upper structure, tiny irregular clearances and downiness.

STANDARD polyester 100%



FLAME RETARDANT (FR) not available

| standard | version | flame retardant (FR) |
|---------------------|---|----------------------|
| III | price group | not available |
| 445 | weight (g/m²) | |
| 110 000 | martindale abrasion resistance EN ISO 12947-2 | |
| 4-5 | martindale pilling resistance EN ISO 12947-2 (afetr 2000 rubs) | |
| >5 | colour fastness to light EN ISO 12947-2 | |
| 337 🖄 🗵 🖻 | care instruction | |
| durable washable | special features* | |

There are possible shade defference between production series.

¹ brown 2 beige 3 light beige 4 nature 5 light grey

6 grey 7 steel 8 turquoise 9 green 10 orange

^{*}Durable A fabric is developed using the most appropriate materials and processes in order to produce upholstery that remains in mint condition over time. Washable according to graphic instruction above.









velours

Elegant upholstery fabrics most frequently produced in the course of manufacturing two-layer-knitted fabric, interwining the layers with fibres creating a tick mesh and then cutting up both layers. This way each layer has a thick fleece. Velours are characterized with very high strengthand at the same time have very nice touch.

STANDARD polyester 100%





FLAME RETARDANT (FR) polyester 100%





| standard | version | flame retardant (FR) |
|--|---|----------------------|
| IV | price group | IV |
| 404 | weight (g/m²) | 404 |
| >100 000 | martindale abrasion resistance EN ISO 12947-2 | >100 000 |
| 5 | martindale pilling resistance EN ISO 12947-2 (afetr 2000 rubs) | 5 |
| 5 | colour fastness to light EN ISO 12947-2 | 5 |
| $\underline{\underline{w}} \underline{\times} \underline{\boxtimes} \underline{\nearrow} \underline{\mathbb{Q}}$ | care instruction | |
| durable washable | special features* | durable |

Fabric you can clean with just water.

Enjoy the everyday comfort provided by Aquaclean® Technology. Now you can get ridof small stains such as wine, coffee and food without having to wash with soap or detergent. Aquaclean® Technology is so effective that even stains from most marker pens comes off with just water!



For normal sofa maintenance we recommend that you vacuum the entire surface area regularly. You can use a normal home vacuum cleaner with a brush fitting.



Remove any excess residue on the upholstery by careful scraping of the stain surface. (Make sure not to use a sharp object to prevent ripping the fabric).


Water cleaning in three simple steps:



Apply water over the stain, either directly or using a damp cloth. Wait a few seconds.



Press down over the stain with a damp cloth and rub gently over the fabric in circular movements. If the stain does not come off completely, repeat the process as required.





There are possible shade defference between production series.



1 nature 2 beige 3 grey-beige

6 grey

5 blue







7 dark orange

CALYPSO



chenille

Technically advanced upholstery fabrics made of chenille fibres consisting of two simple twisted together threads between which cut fibres are placed. Owing to that a fabric has the structure similar to that of velour or plush. A feature that is typical for chenille is irregularity of upper structure, tiny irregular clearances and downiness.

STANDARD

polyester 68%, modacrylic 22%, cotton 10%





FLAME RETARDANT (FR)

polyester 68%, modacrylic 22%, cotton 10%





| standard | version | flame retardant (FR) |
|--|---|--|
| IV | price group | IV |
| 482 | weight (g/m²) | 482 |
| 60 000 | martindale abrasion resistance EN ISO 12947-2 | 60 000 |
| 5 | martindale pilling resistance EN ISO 12947-2 (afetr 2000 rubs) | 5 |
| 4-5 | colour fastness to light EN ISO 12947-2 | 4- 5 |
| | care instruction | $\underline{\mathfrak{P}} \times \mathbf{X} \times \mathbf{P}$ |
| easy to clean durable eco friendly washable | special features* | easy to clean durable eco friendly washable |

Fabric you can clean with just water.

Enjoy the everyday comfort provided by Aquaclean® Technology. Now you can get ridof small stains such as wine, coffee and food without having to wash with soap or detergent. Aquaclean® Technology is so effective that even stains from most marker pens comes off with just water!

Regular maintenance instructions.

For normal sofa maintenance we recommend that you vacuum the entire surface area regularly. You can use a normal home vacuum cleaner with a brush fitting.



Water cleaning in three simple steps:


Remove any excess residue on the upholstery by careful scraping of the stain surface. (Make sure not to use a sharp object to prevent ripping the fabric).



Apply water over the stain, either directly or using a damp cloth. Wait a few seconds.



Press down over the stain with a damp cloth and rub gently over the fabric in circular movements. If the stain does not come off completely, repeat the process as required.



Eco friendly Part of the material is biodegradable, recyclable and provides antibacterial, antistatic and antiallergenic properties.

There are possible shade defference between production series.

4 khaki-green

The waste created during weaving process is recycled, energy and water consumption is minimised and no toxic products are used. Washable according to graphic instruction above









Technically advanced upholstery fabrics made of chenille fibres consisting of two simple twisted together threads between which cut fibres are placed. Owing to that a fabric has the structure similar to that of velour or plush.

A feature that is typical for chenille is irregularity of upper structure, tiny irregular clearances and downiness.

STANDARD

polyester 73%, modacrylic 19%, cotton 8%





FLAME RETARDANT (FR)

polyester 73%, modacrylic 19%, cotton 8%





| standard | version | flame retardant (FR) |
|--|---|--|
| IV | price group | IV |
| 421 | weight (g/m²) | 421 |
| 60 000 | martindale abrasion resistance EN ISO 12947-2 | 60 000 |
| 5 | martindale pilling resistance EN ISO 12947-2 (afetr 2000 rubs) | 5 |
| 5 | colour fastness to light EN ISO 12947-2 | 5 |
| $\underline{\underline{w}} \times \underline{\boxtimes} \to \underline{@}$ | care instruction | $\underline{\underline{w}} \underline{\times} \underline{\boxtimes} \underline{\to} \underline{0}$ |
| easy to clean durable eco friendly washable | special features* | easy to clean durable eco friendly washable |


Fabric you can clean with just water.

Enjoy the everyday comfort provided by Aquaclean® Technology. Now you can get ridof small stains such as wine, coffee and food without having to wash with soap or detergent. Aquaclean® Technology is so effective that even stains from most marker pens comes off with just water!

Regular maintenance instructions.

For normal sofa maintenance we recommend that you vacuum the entire surface area regularly. You can use a normal home vacuum cleaner with a brush fitting.






Water cleaning in three simple steps:



Apply water over the stain, either directly or using a damp cloth. Wait a few seconds.



Press down over the stain with a damp cloth and rub gently over the fabric in circular movements. If the stain does not come off completely, repeat the process as required.



Eco friendly Part of the material is biodegradable, recyclable and provides antibacterial, antistatic and antiallergenic properties.

There are possible shade defference between production series.

70 There are possible shade definerence between production series.

The waste created during weaving process is recycled, energy and water consumption is minimised and no toxic products are used. **Washable** according to graphic instruction above.







11 green

72

MALIBU VELVET

SILS

velours

Elegant upholstery fabrics most frequently produced in the course of manufacturing two-layer-knitted fabric, interwining the layers with fibres creating a tick mesh and then cutting up both layers. This way each layer has a thick fleece. Velours are characterized with very high strengthand at the same time have very nice touch.

STANDARD polyester 67%, acrylic 33%





| standard | version | flame retardant (FR) |
|---------------------|---|----------------------|
| IV | price group | IV |
| 425 | weight (g/m²) | 520 |
| 67 000 | martindale abrasion resistance EN ISO 12947-2 | 67 000 |
| 4 | martindale pilling resistance EN ISO 12947-2 (afetr 2000 rubs) | 4 |
| 5 | colour fastness to light EN ISO 12947-2 | 5 |
| | care instruction | |
| durable washable | special features* | durable |

^{*}Durable A fabric is developed using the most appropriate materials and processes in order to produce upholstery that remains in mint condition over time. Washable according to graphic instruction above.





1 nature



5 turquoise



2 light grey



6 ocean blue



3 grey-beige



7 green

NORI



chenille

Technically advanced upholstery fabrics made of chenille fibres consisting of two simple twisted together threads between which cut fibres are placed. Owing to that a fabric has the structure similar to that of velour or plush.

A feature that is typical for chenille is irregularity of upper structure, tiny irregular clearances and downiness.

STANDARD

recycled polyester 64%, seaqual upcycled yarn 36%



FLAME RETARDANT (FR)

recycled polyester 64%, seaqual upcycled yarn 36%

| standard | version | flame retardant (FR) |
|--|---|-------------------------|
| IV | price group | IV |
| 503 | weight (g/m²) | 600 |
| 50 000 | martindale abrasion resistance EN ISO 12947-2 | 50 000 |
| 4 | martindale pilling resistance EN ISO 12947-2 (afetr 2000 rubs) | 4 |
| 5 | colour fastness to light EN ISO 12947-2 | 5 |
| | care instruction | @\$ \ \$ |
| easy to clean durable eco friendly washable | special features* | durable eco friendly |

The beauty of, sustainable, everyday products made from upcycled marine plastic.

SEAQUAL INITIATIVE works with NGOs, fishermen, authorities and local communities to help clean our oceans. Marine litter from our beaches, ocean floor and surface, rivers and estuaries, is collected by clean-up programs. It is then sorted into different material types and the plastic portion is cleaned and transformed into Upcycled Marine Plastic. Environmentally conscious brands and manufacturers then transform this new, fully- traceable raw material into inspiring sustainable products for every aspect of our lives. Consumer purchasing power is one of the most powerful tools for change. In choosing products containing Upcycled Marine Plastic, you are helping to clean our oceans.



TOGETHER FOR A CLEAN OCEAN.

*Durable A fabric is developed using the most appropriate materials and processes in order to produce upholstery that remains in mint condition over time.

Easy to clean Easy stain removal by rubbing with damp cloth and neutral soapy water.

Eco friendly Part of the material is biodegradable, recyclable and provides antibacterial, antistatic and antiallergenic properties.

There are possible shade defference between production series.

4 light turquoise

The waste created during weaving process is recycled, energy and water consumption is minimised and no toxic products are used. **Washable** according to graphic instruction above.



1 natur 2 beige 3 light brown 4 silver 5 turquoise 6 grey-brown 7 dark grey

76



flat woven

Upholstery fabrics manu-factured from simple fibres, with no hair, of rough natural texture creating smooth, uniform layer. Made of cotton, linen, wool.

STANDARD

polyester 39%, acrylic 39%, cotton 14%, wool 8%



FLAME RETARDANT (FR)

polyester 39%, acrylic 39%, cotton 14%, wool 8%



77

| standard | version | flame retardant (FR) |
|--|---|----------------------|
| IV | price group | IV |
| 548 | weight (g/m²) | 685 |
| 35 000 | martindale abrasion resistance EN ISO 12947-2 | 35 000 |
| 4 | martindale pilling resistance EN ISO 12947-2 (afetr 2000 rubs) | 4 |
| 5 | colour fastness to light EN ISO 12947-2 | 5 |
| | care instruction | |
| durable easy to clean eco friendly washable | special features* | durable |

^{*}Durable A fabric is developed using the most appropriate materials and processes in order to produce upholstery that remains in mint condition over time. Easy to clean Easy stain removal by rubbing with damp cloth and neutral soapy water.

Eco friendly Part of the material is biodegradable, recyclable and provides antibacterial, antistatic and antiallergenic properties.

The waste created during weaving process is recycled, energy and water consumption is minimised and no toxic products are used.

Washable according to graphic instruction above.







jacquards

Fabrics with woven patterns manufactured on a special machine that allows to control many threads separately, which means diversified multicoloured patterns on a large surface can be created.

STANDARD

cotton 42%, viscose 22%, acrylic 20%,linen 8%, polyester 8%

FLAME RETARDANT (FR)

cotton 42%, viscose 22%, acrylic 20%, linen 8%, polyester 8%

| standard version | | flame retardant (FR) |
|------------------|---|----------------------|
| IV | price group | IV |
| 614 | weight (g/m²) | 706 |
| 35 000 | martindale abrasion resistance EN ISO 12947-2 | 35 000 |
| 4 | martindale pilling resistance EN ISO 12947-2 (afetr 2000 rubs) | 4 |
| 5 | colour fastness to light EN ISO 12947-2 | 5 |
| | care instruction | |
| durable | special features* | durable |



There are possible shade defference between production series.

^{*}Durable A fabric is developed using the most appropriate materials and processes in order to produce upholstery that remains in mint condition over time.







Leather has specific features such as texture, variations of hues, slight scratches, scars, pricks and other marks that appeared before the process of tanning which prove its natural origin. Furniture leathers are available in a few sorts that differ from one another with thickness, finishing method, softness and texture, which is palpable.

REGULAR USE OF LEATHER FURNITURE

A natural process that accompanies the use of leather furniture is the appearance of folds, creases and shining as well. Folding of back and seat pads is a normal feature. This process depends upon the insensitivity and quality of furniture use. To minimize the effects of this process it is recommendable to use all seats as evenly as possible.

LEATHER PROTECTION

Long-lasting good appearance of a piece of leather furniture definitely depends on the conditions it is used in. What influences leather negatively is high temperature, dry air and direct exposure to harsh sunbeams. Such conditions are bound to shorten the live span of leather upholstery. Minimum distance between a piece of furniture and a source of heat should be 30 cm.

LEATHER MAINTENANCE AND CLEANING

Leather furniture requires regular care. The method and frequency of cleaning and maintenance depends on the degree of soil and the insensitivity of use. At least once per 6 months leather surface needs to be cleaned with a special preparation or with water and potash soft soap, afterwards it needs to be maintained with a special agent designed for leather care. Proper care and usage of a piece of leather furniture shall by all means extend its perfect looks for many, many years.



There are possible shade defference between production series.



TOUCH leather



Leather has specific features such as texture, variations of hues, slight scratches, scars, pricks and other marks that appeared before the process of tanning which prove its natural origin. Furniture leathers are available in a few sorts that differ from one another with thickness, finishing method, softness and texture, which is palpable.

REGULAR USE OF LEATHER FURNITURE

A natural process that accompanies the use of leather furniture is the appearance of folds, creases and shining as well. Folding of back and seat pads is a normal feature. This process depends upon the insensitivity and quality of furniture use. To minimize the effects of this process it is recommendable to use all seats as evenly as possible.

LEATHER PROTECTION

Long-lasting good appearance of a piece of leather furniture definitely depends on the conditions it is used in. What influences leather negatively is high temperature, dry air and direct exposure to harsh sunbeams. Such conditions are bound to shorten the live span of leather upholstery. Minimum distance between a piece of furniture and a source of heat should be 30 cm.

LEATHER MAINTENANCE AND CLEANING

Leather furniture requires regular care. The method and frequency of cleaning and maintenance depends on the degree of soil and the insensitivity of use. At least once per 6 months leather surface needs to be cleaned with a special preparation or with water and potash soft soap, afterwards it needs to be maintained with a special agent designed for leather care. Proper care and usage of a piece of leather furniture shall by all means extend its perfect looks for many, many years.



There are possible shade defference between production series.





CORDELIA



jacquards

Fabrics with woven patterns manufactured on a special machine that allows to control many threads separately, which means diversified multicoloured patterns on a large surface can be created.

COMPOSITION linen 53%, cotton 47%

standard

weight (g/m²)

821

martindale abrasion resistance 20 000

EN ISO 12947-2

martindale pilling resistance EN ISO 12947-2 (afetr 2000 rubs) 3-4

colour fastness to light EN ISO 12947-2

special features*

care instruction









light grey



mint



dark grey

*Natural More than 80% of natural fibres.

There are possible shade defference between production series.

nature



1 beige 2 light brown 3 mustard 4 dark green 5 light turquoise 6 blue 7 dark blue 8 steel 9 stone 10 pink 11 light grey 13 anthracite 12 grey



smooth natural

Upholstery fabrics manufactured from simple fibres, with no hair, of rough natural texture creating smooth, uniform layer. Made of linen, cotton or viscose or a mixture of these fibres with a small amount of synthetic ones.

COMPOSITION wool 80%, polyamid 20%

standard

weight 310 (g/m^2)

martindale abrasion resistance 80 000

EN ISO 12947-2

martindale pilling resistance EN ISO 12947-2 (afetr 2000 rubs) 3

colour fastness to light EN ISO 12947-2

care instruction






special features*

durable natural

^{*}Durable A fabric is developed using the most appropriate materials and processes in order to produce upholstery that remains in mint condition over time. Natural More than 80% of natural fibres.







2012 fango

90

_ARIO



velours

Elegant upholstery fabrics most frequently produced in the course of manufacturing two-layer-knitted fabric, interwining the layers with fibres creating a tick mesh and then cutting up both layers. This way each layer has a thick fleece. Velours are characterized with very high strengthand at the same time have very nice touch.

COMPOSITION cotton 100%

standard

weight 540 (g/m²)

martindale abrasion resistance >70 000 EN ISO 12947-2

1.1

martindale pilling resistance 2 EN ISO 12947-2 (afetr 2000 rubs)

colour fastness to light 8-4 EN ISO 12947-2

care instruction

special features* durable natural

^{*}Durable A fabric is developed using the most appropriate materials and processes in order to produce upholstery that remains in mint condition over time.

Natural More than 80% of natural fibres.







smooth natural

Upholstery fabrics manufactured from simple fibres, with no hair, of rough natural texture creating smooth, uniform layer. Made of linen, cotton or viscose or a mixture of these fibres with a small amount of synthetic ones.

COMPOSITION linen 100%



standard

weight 600 (g/m^2)

martindale abrasion resistance >20 000

EN ISO 12947-2

martindale pilling resistance EN ISO 12947-2 (afetr 2000 rubs)

colour fastness to light EN ISO 12947-2

care instruction







special features* eco friendly washable

natural







1 natur

5 grey

2 flax

3 beige

4 olive







6 graphite

^{*}Eco friendly Part of the material is biodegradable, recyclable and provides antibacterial, antistatic and antiallergenic properties. The waste created during weaving process is recycled, energy and water consumption is minimised and no toxic products are used. Washable according to graphic instruction above. Natural More than 80% of natural fibres.



LINEN L616



smooth natural

Upholstery fabrics manufactured from simple fibres, with no hair, of rough natural texture creating smooth, uniform layer. Made of linen, cotton or viscose or a mixture of these fibres with a small amount of synthetic ones.

COMPOSITION linen 100%



standard

weight (g/m^2)

805

martindale abrasion resistance 22 000

EN ISO 12947-2

martindale pilling resistance EN ISO 12947-2 (afetr 2000 rubs) 3-4

colour fastness to light EN ISO 12947-2

care instruction







special features*

eco friendly washable natural



006 grain



007 stone

003 sand

^{*}Eco friendly Part of the material is biodegradable, recyclable and provides antibacterial, antistatic and antiallergenic properties. The waste created during weaving process is recycled, energy and water consumption is minimised and no toxic products are used. Washable according to graphic instruction above. Natural More than 80% of natural fibres.



Q425 LAUNDERED



smooth natural

Upholstery fabrics manufactured from simple fibres, with no hair, of rough natural texture creating smooth, uniform layer. Made of linen, cotton or viscose or a mixture of these fibres with a small amount of synthetic ones.

COMPOSITION

linen 52%, viscose 38%, polyamide 10%



standard

weight 630 (g/m^2)

martindale abrasion resistance 30 000

EN ISO 12947-2

martindale pilling resistance EN ISO 12947-2 (afetr 2000 rubs) 3-4

colour fastness to light EN ISO 12947-2

care instruction

special features*

washable natural



11 nature





12 light grey

*Washable according to graphic instruction above. Natural More than 80% of natural fibres.

13 grey

8 earth







2 light turquoise



3 beige



4 grey-beige



5 grey

MAPLE



jacquards

Fabrics with woven patterns manufactured on a special machine that allows to control many threads separately, which means diversified multicoloured patterns on a large surface can be created.

COMPOSITION acrylic 100%



standard

weight 480

 (g/m^2)

martindale abrasion resistance 30 000

EN ISO 12947-2

martindale pilling resistance 4-5

EN ISO 12947-2 (afetr 2000 rubs)

colour fastness to light EN ISO 12947-2 EN ISO 105 B04

special features*

care instruction

7/8 blue scale

4/5 after 1000 hour of exposure on the grey scale

Fabric features:

washable

Seamless comfort for both indoor and outdoor environments.

The new and innovative Tempotest Home® LS bre allows for previously unseen performance and top-quality fabrics that are aesthetic and functional for both INDOOR and **OUTDOOR** environments.

Thanks to the innovative Teflon® Extreme finishing, Tempotest Home® LS fabrics are water/oil repellent, resistant to mould and stains, salt and fading due to solar radiation. Tempotest Home® LS fabrics are OEKO-TEX® certified. The fabrics produced with the new Tempotest Home® LS fibre are recognised for their high level of softness and appearance that is very similar to natural fibre products. These are characteristics and properties, never before achieved in outdoor fabrics.

Warranty

Tempotest Home LS fabrics are guaranteed 6 years. The limited warranty only covers loss of colour due to normal exposure to solar radiation and normal weather conditions in general.









There are possible shade defference between production series.

^{*}Washable according to graphic instruction above.







other smooth

Upholstery fabrics manufactured from simple fibres, with no hair, of rough natural texture creating smooth, uniform layer. Made of polyester, viscose, acryl, polyamide, acetate or a mixture of these fibres with natural ones.

COMPOSITION polypropylene 100%



standard

| weight (g/m²) | 528 |
|---|---------------------|
| martindale abrasion resistance EN ISO 12947-2 | 40 000 |
| martindale pilling resistance EN ISO 12947-2 (afetr 2000 rubs) | 3-4 |
| colour fastness to light EN ISO 12947-2 | 8 |
| care instruction | |
| special features* | durable washable |

A worry free care for outdoor furniture.

Enjoy the relaxed luxury of garden, pool-side and outdoor furniture that are just as easy to love as they are to keep clean. It feels great to have a drink, a snack or a swim in the sun, knowing that your furniture are protected by modern textiles that keep them in "ship-shape". With Easy Care Outdoor® fabrics life outside simply becomes easy and worry free for many years to come!



Mildew resistant

Water repelent

Easycare outdoor fabrics allow wate to pass through them which ensure rapid drying.





Our modern textiles are top of the line in terms of look and feel and can be used in- and outside the house.



High resistance to wear and tear
 High abrasion
 Soft touch



Colour fast to light

Our fabrics meet the highest quality standards regarding fading due to UV rays. They are colourfast to chlorine water, salty water and sweat. We provide 5 year warranty on the fabric against fading from sunlight and UV rays.



*Durable A fabric is developed using the most appropriate materials and processes in order to produce upholstery that remains in mint condition over time.

Washable according to graphic instruction above.







3 grey



2 grey-beige

4 light turquoise

There are possible shade defference between production series.

100

1 nature



SPECCHIO



chenille

Technically advanced upholstery fabrics made of chenille fibres consisting of two simple twisted together threads between which cut fibres are placed. Owing to that a fabric has the structure similar to that of velour or plush. A feature that is typical for chenille is irregularity of upper structure, tiny irregular clearances and downiness.

COMPOSITION cotton 53%, acrylic 47%

standard

weight (g/m^2)

643

martindale abrasion resistance 25 000

EN ISO 12947-2

martindale pilling resistance EN ISO 12947-2 (afetr 2000 rubs) 4

colour fastness to light EN ISO 12947-2

care instruction





special features*



1 natur

7 brown

3 light turquoise







6 beige







9 light grey

10 anthracite

4 navy blue

There are possible shade defference between production series.



\mathbb{W}



105

bouclé

Bouclé is both a yarn and a fabric made from it. The yarn is made from a length of loops of similar size which can range from tiny circlets to large curls. To make bouclé, at least two strands are combined, with the tension on one strand being much looser than the other as it is being plied. Loose strand forming the loops and the other strand as the anchor. Bouclé is also the name of the fabric made from this type of yarn, especially fabric that maintains the looped appearance.

COMPOSITION

cotton 40%, viscose 35%, acrylic 20%, polyamide 5%

standard

weight (g/m²)

714

martindale abrasion resistance 50 000

EN ISO 12947-2

martindale pilling resistance 4 EN ISO 12947-2 (afetr 2000 rubs)

> colour fastness to light EN ISO 12947-2

EN ISO 12947-2

care instruction

special features* durable



1 off-white



6 green

104



2 light grey



7 dark green



3 mustard



4 orange



5 brown



8 dark blue 9 dark grey

The starting point for the conception of this fabric has been the yarn. By appealing to our know-how we have designed a bouclé yarn with such a composition to have the possibility to choose which fibers have to be dyed and which ones have to be kept as natural. In this way we can obtain a wider and deeper range of colour shades. We opted for viscose and acrylic in order to finally have fibers with excellent features of strength and softness and, at the same time, different dye affinities.

Its warp, with a very fine yarn and a high thread count has been chosen for the consistency of the fusion between style and technique. If on the one hand you can almost have the feeling that the bouclé yarn is floating intertwined with a fine, quite invisible thread, on the other hand cotton gives the fabric such a strength and consistency.

Last but not least, the piece dyeing process. We opted for acid and cellulosic dyes, always leaving the acrylic untouched. In this way we can finally obtain colour tones with a natural, slightly mélange look. The finishing process with the use of silicon-based products makes the fabric soft and smooth, so that our hand can confirm what our eyes have previously perceived.

^{*}Durable A fabric is developed using the most appropriate materials and processes in order to produce upholstery that remains in mint condition over time.







Characteristic Pure Aniline is without a doubt one of the softest leathers to the touch, it is produced from the finest selection of raw hides. It is a very exclusive product, only about 5% of upholstered furniture sold today is made of pure Aniline. This leather naturally breaths well, sitting for extended periods of time is comfortable from a touch and temperature perspective.

Aniline leather is the most natural leather with the unique surface characteristics of the hide remaining visible. It is colored only with dye and not with a surface coating of polymer and pigment and color is applied to the leather with the dye penetrating the leather and extending beyond the surface, into the leather itself. The dyes used are clear and transparent chemicals that allow the grain structure of the leather to be seen. These dyes show the natural texture, but do not protect the leather from damage. These hides will exhibit some natural characteristics such as healed scars, scratches, neck and belly wrinkles, which gives it an original look. Expect color variation from the swatch to the actual leather, due to the fact leather is a natural product and will absorb dye differently within the hide and from hide to hide. This leather will develop a rich patina over time and will fade with prolonged exposure to sunlight. Due to the natural character of the leather its more exposed to dirt and stains. You should wipe it regularly with dry cloth.

Regular use of leather furniture A natural process that accompanies the use of leather furniture is the appearance of folds, creases and shining as well. Folding of back and seat pads is a normal feature. This process depends upon the insensitivity and quality of furniture use.

To minimize the effects of this process it is recommendable to use all seats as evenly as possible.

Leather protection Long-lasting good appearance of a piece of leather furniture definitely depends on the conditions it is used in. What influences leather negatively is high temperature, dry air and direct exposure to harsh sunbeams. Such conditions are bound to shorten the live span of leather upholstery. Minimum distance between a piece of furniture and a source of heat should be 30 cm.



There are possible shade defference between production series.

STANDARD VERSION

| FABRIC | COLOR | CARE INSTRUCTION | MARTIN- DALE | PRICE GROUP | * CONFIDENCE IN TEXTURE Bielde for harmful substances soundings Collaborate for dender too COCOCOCO when the substances too COCOCOCO when the substances too COCOCOCO When the substances too COCOCOCOCO When the substances too COCOCOCOCOCOCO When the substances too COCOCOCOCOCOCOCO When the substances too COCOCOCOCOCOCOCOCOCOCOCOCO When the substances too COCOCOCOCOCOCOCOCOCOCOCOCOCOCOCOCOCO |
|------------------|---|---------------------|-----------------|----------------|---|
| Arya | 1 l.grey, 2 l.beige, 3 blue-grey, 4 grey, 5 grey-black, 6 anthracite | ₩ & 2 2 P | 48 000 | I | |
| Avena | 1 beige, 2 l. brown, 3 mustard, 4 coral pink, 5 grey, 6 d. blue, 7 anthracite | | 40 000 | | |
| Briza | 1 nature, 2 grey-beige, 3 grey, 4 steel, 5 mustard, 6 brown, 7 anthracite | ₩ 🕸 🗷 🕑 | 30 000 | | / |
| Carlina | 1 l. grey, 2 grey-beige, 3 d. grey, 4 steel, 5 brown-grey, 6 coral | 62820 | 60 000 | I | |
| King | 1 natur, 2 beige, 3 potato, 4 light grey, 5 grey-beige, 6 grey, 7 light blue, 8 light turquoise, 9 dark blue, 10 black-white | #X \Z 0A | 50 000 | I | / |
| Poem | 1 natur, 2 grey, 3 light turquoise, 4 dark blue, 5 mustard, 6 beige, 7 grey-beige, 8 potato, 9 earth | | 50 000 | | ✓ |
| Atropa | 1 grey-beige, 2 l. grey, 3 beige, 4 mustard, 5 orange, 6 cognac, 7 carnel, 8 khaki, 9 d. blue, 10 grey | 30/2★ 🛛 🔀 🕑 | 25 000 | II | |
| Caleido | 1420 white, 1419 natur, 3790 I. beige, 10996 grey-beige, 2994 I. brown, 3899 beige, 3693 d. brown, 2990 powder pink, 1497 I.grey, 10997 grey, 2934 d. grey, 11896 sand yellow, 12025 yellow, 12032 I. coral, 3644 coral, 9881 grey-green, 11900 emerald green, 11980 jeans blue, 1988 indygo blue | 62820 | 32 500 | II | ~ |
| Elyot | 1 natur, 2 l.brown, 3 brown, 4 salomon, 5 vintage red, 6 orange, 7 mustard, 8 green, 9 l.turquise, 10 turguise, 11 d.blue, 12 l.grey, 13 grey-beige, 14 grey | #2820 | 90 000 | II | ✓ |
| Montia | 1 I. beige, 2 beige, 3 camel, 4 brown, 5 lemon, 6 I. olive, 7 turquoise-grey, 8 d. blue, 9 I. grey, 10 d. grey | WX \ZP | 45 000 | II | |
| Nancy | 1 natur, 2 beige, 5 l. grey, 4 grey-beige, 3 brown, 6 d. grey, 7 antracit | | 40 000 | II | ✓ |
| Science Mores | 1 natur, 2 salomon, 3 l.turquise, 4 l.green, 5 l.grey, 6 steel, 7 d.blue, 8 turquise, 9 green, 10 grey-brown | <u> </u> | 33 000 | II | ~ |
| Sneak | 1 natur, 2 grey-beige, 3 l.turqise, 4 l.grey, 6 grey, 6 anthracite | waze | 38 000 | II | |
| Tulip | 1 nature, 2 beige, 3 yellow, 4 copper brown, 5 vintage red, 6 green, 7 blue, 8 l. grey, 9 grey, 10 black | | 30 000 | II | ~ |
| Viola | 1 natural, 2 beige, 3 brown-grey, 4 orange, 5 mustard, 6 green, 7 blue, 8 d. blue, 9 steel, 10 grey-beige, 11 d. grey | | 40 000 | II | ✓ |
| Caleido Stampato | 1 natur, 2 beige, 3 camel, 4 cool beige, 5 olive-grey, 6 olive, 7 turquise, 8 l.blue, 9 d.blue, 10 steel, 11 grey-brown, 12 grey-beige | ∅ ×⊠⊿0 | 32 500 | III | ✓ |
| Classic Velvet | 1 l. beige, 2 potato , 3 brown, 4 l. grey, 5 grey, 6 antracite, 7 black, 8 red, 9 crange, 10 bordo, 11 d. blue, 12 navy blue, 13 l. turquoise, 14 lime, 15 green | | 47 000 | III | / |
| Divine | 99 white, 50 l. grey, 05 beige, 70 grey, 55 black, 45 d. blue, 40 l. blue, 36 mustard, 69 d. pink, 61 pink | | 60 000 | III | ✓ |
| Drom | 01 creme, 02 beige, 11 l. brown, 12 brown, 63 violet, 40 turquoise, 54 grey, 55 black | | 61 000 | III | / |
| Heather | 1 nature, 2 l. beige, 3 beige, 4 l. brown, 5 copper brown, 6 olive brown, 7 mustard green, 8 steel grey | | 50 000 | III | / |
| Iris | 1 natural, 2 gold beige, 3 grey-beige, 4 yellow, 5 orange, 6 green, 7 jeans blue, 8 l. grey, 9 d. grey | | 95 000 | III | / |
| lvy | 1 grey-beige, 2 greige, 3 beige, 4 mustard, 5 vintage red, 6 green, 7 blue, 8 grey | W4828 | 30 000 | III | <u> </u> |
| Kiss | 1 natural, 2 ecru, 3 stone, 4 light grey, 5 grey, 6 graphite, 7 blue | 30'A \ 2 P | 24 000 | III | |
| Malva | 1 beige, 2 l.brown, 3 brown, 4 yellow, 5 orange, 6 l.green, 7 turquoise, 8 ash turquoise, 9 l.grey, 10 grey, 11 d.grey | 95820 | 100 000 | III | |
| Moss | 1 mustard, 2 d.green, 3 orange, 4 d.brown, 5 d.grey, 6 nature, 7 cold beige, 9 l. brown, 10 l. grey, 12 anthracite, 13 blue, 14 d. blue | ₩ <u>₩</u> ₩ | 25 000 | III | <u> </u> |
| Paris | 1 beige, 2 yellow, 3 l. brown, 4 orange, 5 turquoise, 6 green, 7 l. grey, 8 d. grey | ₩ X X Z P | 30 000 | III | |
| Stipa | 1 brown, 2 beige, 3 l.beige, 4 nature, 5 l.grey, 6 grey, 7 steel, 8 turquoise, 9 green, 10 orange | 307 X 🛛 A 👂 | 110 000 | III | ~ |

| FABRIC | COLOR | CARE INSTRUCTION | MARTIN- DALE | PRICE GROUP | CONFIDENCE IN TEXTUES Tested for hormful substances coxording to February 2000 coxo00000000000000000000000000000000 |
|---------------|--|---------------------|-----------------|----------------|---|
| Bellis | 1 Lgrey, 2 d.grey, 3 d.blue, 4 d.green, 5 orange, 6 mustard, 7 powder pink, 8 grey, 9 turquoise | | >100 000 | IV | Securior Action of Action |
| Calypso | 1 nature, 2 beige, 3 grey-beige, 4 khaki green, 5 blue, 6 grey, 7 d.orange | | 60 000 | IV | OCIONO TECHNOLOGY |
| Lilac | 1 nature, 2 beige, 3 l.grey, 4 yellow, 5 orange, 6 wine red, 7 d.green, 8 turquoise 9 blue, 10 grey | | 60 000 | IV | OCIONO TECHNOLOGY |
| Malibu Velvet | 1 l.grey, 2 grey, 3 l.turquoise, 4 turquoise, 5 blue, 6 grey-beige, 7 beige, 8 powder pink, 9 salomon, 10 yellow, 11 green | 62020 | 67 000 | IV | / |
| Nori | 1 nature, 2 l. grey, 3 grey-beige, 4 l. turquoise, 5 turquoise, 6 ocean blue, 7 green | 307 ★ 🛛 🗷 🕑 | 50 000 | IV | SEAQUAL |
| Togo | 1 natur, 2 beige, 3 l.brown, 4 silver, 5 turquoise, 6 grey-brown 7 d.grey | | 35 000 | IV | / |
| Tweedy | 1 natur, 2 beige, 3 l.brown, 4 brown, 5 black-white, 6 blue, 7 turquoise | 28020 | 35 000 | IV | |

| LEATHER | COLOR | |
|---------|--|---------|
| Matrix | white, granit, I. brown, d. brown, espresso, I. grey, d. grey, black | LEATHER |
| Touch | 1 l.beige, 2 white, 3 grey-beige, 4 stone, 5 d.grey, 6 black, 7 brown, 8 cognac, 9 d.brown | LEATHER |

| FABRIC | COLOR | CARE INSTRUCTION | MARTIN- DALE | PRICE GROUP | CONFIDENCE IN TEXTILES Tracted for hormful substances model for both fair Souther for models for bo |
|-------------------------|--|--|-----------------|----------------|--|
| Cordelia | nature, mint, light grey, darkgrey | 9588 | 20 000 | EXCL | |
| Country | 1 beige, 2 l.brown, 3 mustard, 4 d.green, 5 l. turquoise, 6 blue, 7 d.blue, 8 steel, 9 stone, 10 pink, 11 l.grey, 12 grey, 13 anthracite | 28020 | 80 000 | EXCL | |
| Lario | 29 l.grey, 28 grey, 2003 d.grey, 1404 antracite, 26 black, 1406 turquoise, 58 blue,54 d.blue, 20 indigo, 1401 green, 1402 d.green, 2007 wine red,1405 claret, 03 beige, 05 l.brown, 2012 fango | 28020 | >70 000 | EXCL | |
| Linen L007 | 1 natur, 2 flax, 3 beige, 4 olive, 5 grey, 6 graphite | 407 X X Z P | >20 000 | EXCL | |
| Linen L616 | 003 sand, 006 grain, 007 stone | ₩ <u>X</u> 0.2.P | 22 000 | EXCL | |
| Linen Q425 Laundered | 8 earth, 11 nature, 12 l.grey, 13 grey | ###################################### | 30 000 | EXCL | |
| Maple Out DOOR | 1 off-white, 2 l. turquoise, 3 beige, 4 grey-beige, 5 grey | ₩A⊠20 | 30 000 | EXCL | ✓ 🍫 |
| Pine OUT DOOR | 1 nature, 2 grey-beige, 3 grey, 4 l. turquoise | ™X \ 20 | 40 000 | EXCL | Easycare Outdoor. |
| Specchio | 1 natur, 6 beige, 7 brown, 9 l.grey, 3 l.turquoise, 4 navy blue, 10 anthracite | 8888 | 30 000 | EXCL | |
| Willow | 1 off-white, 2 Lgrey, 3 mustard, 4 orange, 5 brown, 6 green, 7 d.green, 8 d.blue, 9 d.grey | 9588 | 50 000 | EXCL | |

| LEATHER | COLOR | PRICE GROUP |
|---------|--|----------------|
| Anilina | 1 latte, 2 cognac, 3 d.brown, 4 natur, 5 sand, 6 opal, 7 grey, 8 black | LEATHER |



*OEKO-TEX - the fabric is free from harmful and allergenic substances, it is safe for humans in direct contact.

FLAME RETARDANT VERSION

| FABRIC | COLOR | CARE INSTRUCTION | MARTIN- DALE | PRICE GROUP | * CONFIDENCE IN TEXTLES Tasked for inharmful substances according to Cree-Ser-Standard for Occording the Service Serv |
|------------------|---|---|-----------------|----------------|--|
| Avena | 1 beige, 2 l. brown, 3 mustard, 4 coral pink, 5 grey, 6 d. blue, 7 anthracite | | 40 000 | I | |
| Carlina | 1 l. grey, 2 grey-beige, 3 d. grey, 4 steel, 5 brown-grey, 6 coral | Z Z Z D | >50 000 | I | |
| Arya | 1 l.grey, 2 l.beige, 3 blue-grey, 4 grey, 5 grey-black, 6 anthracite | 407 🖄 🖾 🗷 P | 48 000 | II | |
| Atropa | 1 grey-beige, 2 l. grey, 3 beige, 4 mustard, 5 orange, 6 cognac, 7 camel, 8 khaki, 9 d. blue, 10 grey | 95 <u>0</u> 50 | 25 000 | II | |
| Briza | 1 nature, 2 grey-beige, 3 grey, 4 steel, 5 mustard, 6 brown, 7 anthracite | | 30 000 | II | |
| Caleido | 1420 white, 1419 natur, 3790 I. beige, 10396 grey-beige, 2994 I. brown, 3899 beige, 3693 d. brown, 2990 powder pink, 1497 l.grey, 10397 grey, 2934 d. grey, 11896 sand yellow, 12025 yellow, 12032 I. coral, 3644 coral, 9881 grey-green, 11900 emerald green, 11980 jeans blue, 1988 indygo blue | natural fabric | | | \ |
| King | 1 natur, 2 beige, 3 potato, 4 light grey, 5 grey-beige, 6 grey, 7 light blue, 8 light turquoise, 9 dark blue, 10 black-white | | 50 000 | II | ✓ |
| Nancy | 1 natur, 2 beige, 5 l. grey, 4 grey-beige, 3 brown, 6 d. grey, 7 antracit | | 40 000 | II | <u> </u> |
| Poem | 1 natur, 2 grey, 3 light turquoise, 4 dark blue, 5 mustard, 6 beige, 7 grey-beige, 8 potato, 9 earth | | 50 000 | II | ✓ |
| Tulip | 1 nature, 2 beige, 3 yellow, 4 copper brown, 5 vintage red, 6 green, 7 blue, 8 l. grey, 9 grey, 10 black | | 30 000 | II | ✓ |
| Viola | 1 natural, 2 beige, 3 brown-grey, 4 orange, 5 mustard, 6 green, 7 blue, 8 d. blue, 9 steel, 10 grey-beige, 11 d. grey | | 45 000 | II | ✓ |
| Caleido Stampato | 1 natur, 2 beige, 3 camel, 4 cool beige, 5 olive-grey, 6 olive, 7 turquise, 8 l.blue, 9 d.blue, 10 steel, 11 grey-brown, 12 grey-beige | natural fabric | | III | |
| Classic Velvet | 1 I. beige, 2 potato , 3 brown, 4 I. grey, 5 grey, 6 antracite, 7 black, 8 red, 9 crange, 10 bordo, 11 d. blue, 12 navy blue, 13 I. turquoise, 14 lime, 15 green | | 47 000 | III | / |
| Divine | 99 white, 50 l. grey, 05 beige, 70 grey, 55 black, 45 d. blue, 40 l. blue, 36 mustard, 69 d. pink, 61 pink | 30° & \(\times \) | 56 000 | III | / |
| Elyot | 1 natur, 2 l.brown, 3 brown, 4 salomon, 5 vintage red, 6 orange, 7 mustard, 8 green, 9 l.turquise, 10 turguise, 11 d.blue, 12 l.grey, 13 grey-beige, 14 grey | | 90 000 | III | / |
| lvy | 1 grey-beige, 2 greige, 3 beige, 4 mustard, 5 vintage red, 6 green, 7 blue, 8 grey | | 30 000 | III | / |
| Kiss | 1 natural, 2 ecru, 3 stone, 4 light grey, 5 grey, 6 graphite, 7 blue | natural fabric | | III | |
| Malva | 1 beige, 2 l.brown, 3 brown, 4 yellow, 5 orange, 6 l.green, 7 turquoise, 8 ash turquoise, 9 l.grey, 10 grey, 11 d.grey | MAN 30 | 100 000 | III | |
| Montia | 1 I. beige, 2 beige, 3 carnel, 4 brown, 5 lemon, 6 I. olive, 7 turquoise-grey, 8 d. blue, 9 I. grey, 10 d. grey | 98888 | 45 000 | III | |
| Paris | 1 beige, 2 yellow, 3 l. brown, 4 orange, 5 turquoise, 6 green, 7 l. grey, 8 d. grey | 2820 | 30 000 | III | |
| Science Mores | 1 natur, 2 salomon, 3 l.turquise, 4 l.green, 5 l.grey, 6 steel, 7 d.blue, 8 turquise, 9 green, 10 grey-brown | 95 <u>0</u> 50 | 33 000 | III | ✓ |
| Sneak | 1 natur, 2 grey-beige, 3 l.turqise, 4 l.grey, 6 grey, 6 anthracite | 307 X 🛛 🔁 P | 38 000 | III | |
| Bellis | 1 l.grey, 2 d.grey, 3 d.blue, 4 d.green, 5 orange, 6 mustard, 7 powder pink, 8 grey, 9 turquoise | | >100 000 | IV | / |
| Calypso | 1 nature, 2 beige, 3 grey-beige, 4 khaki green, 5 blue, 6 grey, 7 d.orange | | 60 000 | IV | ✓ |
| Lilac | 1 nature, 2 beige, 3 l.grey, 4 yellow, 5 orange, 6 wine red, 7 d.green, 8 turquoise 9 blue, 10 grey | | 60 000 | IV | / |
| Drom | 01 creme, 02 beige, 11 l. brown, 12 brown, 63 violet, 40 turquoise, 54 grey, 55 black | 2882 | 61 000 | IV | / |
| Heather | 1 nature, 2 l. beige, 3 beige, 4 l. brown, 5 copper brown, 6 olive brown, 7 mustard green, 8 steel grey | × × × × × × × × × × × × × × × × × × × | 50 000 | IV | ✓ |
| Iris | 1 natural, 2 gold beige, 3 grey-beige, 4 yellow, 5 orange, 6 green, 7 jeans blue, 8 l. grey, 9 d. grey | Ø S S S S S S S S S S S S S S S S S S S | 50 000 | IV | / |
| Malibu Velvet | 1 l.grey, 2 grey, 3 l.turquoise, 4 turquoise, 5 blue, 6 grey-beige, 7 beige, 8 powder pink, 9 salomon, 10 yellow, 11 green | Ø S S S S S S S S S S S S S S S S S S S | 67 000 | IV | / |
| Moss | 1 mustard, 2 d.green, 3 orange, 4 d.brown, 5 d.grey, 6 nature, 7 cold beige, 9 l. brown, 10 l. grey, 12 anthracite, 13 blue, 14 d. blue | | 25 000 | IV | <u> </u> |

| FABRIC | COLOR | CARE INSTRUCTION | MARTIN- DALE | PRICE GROUP | * CONFIDENCE IN TEXTILES Rated for hormfol substances according to Cale. Not Sanadar 10 accoccocco monthly to Cale. Not Sanadar 10 accoccoccoccoccoccoccoccoccoccoccoccocco |
|--------|---|---------------------|-----------------|----------------|---|
| Nori | 1 nature, 2 l. grey, 3 grey-beige, 4 l. turquoise, 5 turquoise, 6 ocean blue, 7 green | | 50 000 | IV | |
| Togo | 1 natur, 2 beige, 3 l.brown, 4 silver, 5 turquoise, 6 grey-brown 7 d.grey | <u> </u> | 35 000 | IV | ✓ |
| Tweedy | 1 natur, 2 beige, 3 l.brown, 4 brown, 5 black-white, 6 blue, 7 turquoise | | 35 000 | IV | |

| LEATHER | COLOR | PRICE GROUP |
|---------|--|----------------|
| Matrix | white, granit, I. brown, d. brown, espresso, I. grey, d. grey, black | LEATHER |
| Touch | 1 l.beige, 2 white, 3 grey-beige, 4 stone, 5 d.grey, 6 black, 7 brown, 8 cognac, 9 d.brown | LEATHER |



*OEKO-TEX - the fabric is free from harmful and allergenic substances, it is safe for humans in direct contact.

SILS